


DML MAXI

Downlight

This modern LED spotlight fixture is a stylish and functional lighting solution designed for recessed ceiling installation. It features four high-efficiency spotlights, each of which can be adjusted independently. This allows focused lighting on desired areas within the space. Equipped with energy-saving LED technology, the fixture offers long-lasting performance. It is an ideal choice for offices, stores, exhibition areas, and modern living spaces. It provides both decorative and functional lighting. Easy to use and simple to install, this fixture combines practicality with contemporary design.



RAL COLORS

Std.

9016

Opt.

9005

9006

DML MAXI

IP20  

Code	Luminous Flux	System Power	Weight
DML4/MX 13	5.900 lm	4x13W	2.6 Kg
DML4/MX 27	11.150 lm	4x27W	2.6Kg
DML4/MX 36	14.500 lm	4x36W	2.6 Kg

Front Frame : 1.5mm thick
DKP sheet steel
Reflector: PC



Cooler: Aluminum injection
Driver: Included
Voltage: 220~240 VAC

Color Temperature: 2700-3000-4000-5000-6500K
Led: COB

ACCESSORY




Honeycomb Louvre




Adjustable


BOX DIMENSIONS
29x29x10 cm


BOX WEIGHT
3 kg



RAL COLORS
Std. 9016
Opt. 9005
9006



DML MAXI

IP20  

Code	Luminous Flux	System Power	Weight
DML3/MX 13	4.425 lm	3x13W	2 Kg
DML3/MX 27	8.360 lm	3x27W	2 Kg
DML3/MX 36	10.875 lm	3x36W	2 Kg

Front Frame : 1.5mm thick
DKP sheet steel
Reflector: PC



Cooler: Aluminum injection
Driver: Included
Voltage: 220~240 VAC

Color Temperature: 2700-3000-4000-5000-6500K
Led: COB

ACCESSORY




Honeycomb Louvre




Adjustable


BOX DIMENSIONS
42x16x10 cm


BOX WEIGHT
2.3 kg





RAL COLORS

Std.

9016

Opt.

9005

9006

DML MAXI

IP20  

Code	Luminous Flux	System Power	Weight
DML2/MX 13	2.950 lm	2x13W	1.4 Kg
DML2/MX 27	5.575 lm	2x27W	1.4Kg
DML2/MX 36	7.250 lm	2x36W	1.4 Kg
DML1/MX 13	1.475 lm	1x13W	0.7 Kg
DML1/MX 27	2.790lm	1x27W	0.7 Kg
DML1/MX 36	3.625 lm	1x36W	0.7 Kg

Front Frame : 1.5mm thick
DKP sheet steel
Reflector: PC



Cooler: Aluminum injection
Driver: Included
Voltage: 220~240 VAC

Color Temperature: 2700-3000-4000-5000-6500K
Led: COB

ACCESSORY



Honeycomb Louvre



Adjustable



BOX DIMENSIONS

DML2/MX 29x16x10 cm
DML1/MX 16x16x10 cm



BOX WEIGHT

DML2/MX 1.6 kg
DML1/MX 0.8 kg

