
# Globe





# Urban

# Lighting Fixtures

Globe Series corresponds to varying city lighting needs in suitable shapes and in various dimensions. It is available with lamp options in various powers for the same environment.

## URBAN LIGHTING FIXTURES/ GLOBE

# 



## Description

Body: Made of a high impact acrylic, specially suitable for outdoor conditions has excellent weather ressistance (UV. influence) and retains its high level of transparency for a long period of time.

| Code   | Lamp       | Color                      |  |
|--------|------------|----------------------------|--|
| 3007/C | 1x 80W HOL | Clear/Opal/Smoke/Prismatic |  |
| 3007/C | 1x125W HOL | Clear/Opal/Smoke/Prismatic |  |
| 3007/C | 1x 70W Nav | Clear/Opal/Smoke/Prismatic |  |
| 3007/C | 1x100W Nav | Clear/Opal/Smoke/Prismatic |  |

Box Dimensions

Inside box 1 PCS. 3007/C 510x510x520 mm **W**eight

3007/C 2.650 gr

Protection: IP54



#### Dimensions



Bases are suitable for Ø60 mm pole



#### Description

**Body:** Made of a high impact acrylic, specially suitable for outdoor conditions has excellent weather ressistance (UV. influence) and retains its high level of transparency for a long period of time.

| Code                                 | Lamp   | Color  |
|--------------------------------------|--|--|
| 3559/S<br>3559/S<br>3559/S<br>3559/S | 1x 80W HOL<br>1x125W HOL<br>1x 70W Nav<br>1x100W Nav | Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic |
| ► Box Dimensions                     |  | <b>&amp;</b> Weight  |

Box Dimensions

Inside box 1 PCS. 3559/S 610x610x500 mm weight

3559/S 2.750 gr

Protection: IP54



#### Dimensions



Bases are suitable for Ø60 mm pole

## URBAN LIGHTING FIXTURES/ GLOBE





| Description |  |
|-------------|--|
|             |  |

Body: Made of a high impact acrylic, specially suitable for outdoor conditions has excellent weather ressistance (UV. influence) and retains its high level of transparency for a long period of time.

| Code                                       | Lamp   | Color  |   |
|--|--|--|---|
| 3823/M<br>3823/M<br>3823/M<br>3823/M       | 1x 80W HQL<br>1x125W HQL<br>1x 70W Nav<br>1x100W Nav | Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic<br>Clear/Opal/Smoke/Prismatic | - |
| Box Dimensions                             |  | Weight   |   |
| Inside box 1 PCS.<br>3823/M 410x410x420 mi | m  | 3823/M 2.400 gr  |   |
|  |  | Protection: IP54   |   |



#### Dimensions



Bases are suitable for Ø60 mm pole